

TABLEAU 1 / Stratégies de désherbage à privilégier selon la flore classique présente dans les parcelles

| Graminées estivales | | Chénopode, amarante | | | | | | |
|---------------------|------------------|---|--|--|--|--|--|---|
| | | Morelle | Renouée persicaire | Renouée des oiseaux | Renouée des oiseaux | Renouée liseron | Renouée liseron | |
| | | | Morelle | Morelle | | Morelle | | |
| Pression modérée | | Dakota-P Pendimathaline ⁽¹⁾ Aclonifen Imazamox ⁽²⁾ | Dakota-P Imazamox ⁽²⁾ | Imazamox ⁽²⁾ | Imazamox ⁽²⁾ | | | |
| | Antigraminée | + 1 anticycotylédone à choisir | | | | | | |
| Forte pression | Pendiméthaline + | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright |
| | Mercantor GOLD + | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman | Express SX Aclonifen ⁽³⁾ | Express SX Aclonifen ⁽³⁾ | | |
| | Dakota-P + | Dakota-P seul Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright Vibala ⁽⁵⁾ | Express SX Imazamox ⁽²⁾ Aclonifen ⁽³⁾ Racer ME ⁽⁴⁾ Proman Sunbright |

(1) pendiméthaline : il existe plusieurs produits : Prowl 400, Atic-Aqua, Pentium Flo, etc.

(2) imazamox : il existe plusieurs herbicides tels que Pulsar 40, Davaï et Passat Plus.

(3) aclonifen ; il existe plusieurs herbicides tels que Challenge 600, Papel, Chanon/Chandor.

(4) ne peut pas être mélangé.

(5) le programme avec Vibala sera moins efficace que les autres programmes sur renouée liseron. Maintenir la dose de prélevée à 2,5 g i/ha pour Dakota-P et Atic-Aqua, 2,8 i/ha pour Pentium Flo ou Prowl 400/Baroud.